



上汽通用五菱
SGMW

SGMW Product Showcase

ELECTRON CARS LATINOAMERICA, S.A.

 WULING VEHÍCULOS ELÉCTRICOS PANAMÁ

	CAR	SUV	MPV	VAN	Light Truck
A Size /A00 Class/ Micro ($\leq 3.8\text{m}$)	 MINI EV-E50  E110C		 Zhiguang EV-CE110M		
B Size /A0 Class/ Small ($3.8\text{m}\sim 4.5\text{m}$)	 Bingo Series -E260	 Xingchi -310S  Yep Plus -E260S Plus	 Hongguang S -CN115  Hongguang -N510M	 Zhiguang -N111  Rongguang L -N300L  Hongguang V -CN110V	 Zhiguang PU -N111P  Rongguang PU -N300P
C Size /A Class/ Compact ($4.5\text{m}\sim 4.8\text{m}$)	 Xingguang-F510C	 Asta-730S  Hongguang S3-CN120S  Yunhai-F410S  Xingguang S-F510S			
D Size /B Class/ Mid ($4.8\text{m}\sim 5.2\text{m}$)	 Yunguang-F710C			 Yangguang-N350V	
E Size /C Class/ Large ($\geq 5.2\text{m}$)					 Rongguang PU-N350P

Electrical Vehicles



E50 MCE Pro



E260 Bingo



E260 MCE Bingo
Plus



F510C Xingguang



F510S Xingguang S



E110C



F410S Yunhai



N350V Yangguang



F710C Yunguang



Zhiguang EV-
CE110M

CAR-D Baojun Xiangjing



CAR-D Baojun Xiangjing

Specification		
Model	PHEV	EV
L/W/H (mm)	5005/ 1900/1505	5005/ 1900/1490
Wheel Base(mm)	2900	
Tread (mm)	1625/1635	
Ground Clearance(Laden mm)	140	
Curb Weight	1840	1870
■ Engine/Motor/Battery		
Battery Capacity(kwh)	20.5	69.2
Peak Power (kw/r/min)	160	186
Max motor power/max torque(kW/N·m)	160/310	186/310
Driving Type	FF	
CLTC Range(km)	101	600
Charging(3C DC fast charge 30%-80%)	20min	-
Charging(2C DC fast charge 30%-80%)	-	15min
■ Chassis		
FSD	●	●
Suspension (front)	McPherson Stru.	
Suspension (rear)	Multi-Link	
Tire	235/45R19,225/50R18	
■ Capacity		
Seating Capacity	5	
Fuel Tank (L)	53L	-
Max Speed (km/h)	190	170

Feature		
	140km PHEV	600km EV
■ Charging & Battery		
50W air-cooled mobile phone wireless charging	•	•
DC Fast charging	•	•
■ Exterior Equipment		
Active air intake grille	•	•
LED penetration lightning light	•	-
Electric hiding door handle	•	•
LED three-point meteor light	-	•
■ Interior Equipment		
Polyurethane Full Vehicle Wrapping	•	•
Microfiber leather steering wheel	•	•
Hide straight waterfall atmosphere lights	•	•
Driver and passenger visor (with cosmetic mirror light)	•	•
■ Safety Equipment		
ESC+ABS+EPB+TPMS	•	•
Dual Frontal Airbags + Side Airbags+Side Curtain	•	•
AUTO HOLD	•	•
540° HD panoramic image	•	•
■ Comfort & Entertainment Equipment		
Panoramic canopy with Heat insulation and Sun protection (Double silver +Low-E technology)	•	•
Seat ventilation and heating	•	•
15.6-inch center screen	•	•
8.8-inch combination meter	•	•
DLNA/HiCar*/CarLink*/CarPlay*	○	○
Remote control/Bluetooth key/Keyless Entry & Start	•	•
Rear center armrest (with water cup holder and storage box)	•	•
■ Intelligent Driving		
Intelligent driving assistance system	•	•
Adaptive Cruise Control)	•	•
lane departure prevention	•	•
APA/RPA/AVP	•	•
DOW	•	•

SUV-C Baojun Yunhai



SUV-C Baojun Yunhai

Specification			Feature				
Model	PHEV	EV		60km	140km	500km	600km
L/W/H (mm)	4590/ 1880/1608	4541/ 1880/1608	■ Charging & Battery				
Wheel Base(mm)	2750		Battery Heating	●	●	●	●
Tread (mm)	1615/1615		Battery Cooling	●	●	●	●
Ground Clearance(Laden mm)	140		DC Fast charging	-	●	●	●
Curb Weight	1765-1760	1645-1700	■ Exterior Equipment				
■ Engine/Motor/Battery			Premium Alloy Wheel	●	●	●	●
Battery Capacity(kwh)	9.5/20.5	56.7/69.2	LED Lens Headlamps	●	●	●	●
Peak Power (kw/r/min)	78+150	150	Rear Fog Lamp	●	●	●	●
Peak Torque (N.m/r/min)	130+310	310	LED DRL	●	●	●	●
Driving Type	FF		■ Interior Equipment				
CLTC Range(km)	60/140	500/600	PVC Seat	●	●	●	●
Charging(AC SOC 20%-100%)	3.5h/6.5h	9h/10.5h	Second Row 40/60 Seat w/ back	●	●	●	●
Charging(DC fast charge SOC 30%-80%)	-/30min	20min	8.8" cluster	●	●	●	●
■ Chassis			■ Safety Equipment				
Steering	EPS		ESC+ABS+EPB+TPMS	●	●	●	●
Brakes	Front Disk & Rear Disk		Dual Frontal Airbags	●	●	●	●
Suspension (front)	McPherson Stru.		Side Airbags+Side Curtain	●	●	●	●
Suspension (rear)	Independent		Ultrasonic radar-12 points	●	●	●	●
Tire	225/55R18		Electrical Data Recorder	●	●	●	●
■ Capacity			■ Comfort Equipment				
Seating Capacity	5		EPS	●	●	●	●
Fuel Tank (L)	53	-	Auto A/C	●	●	●	●
Max Speed (km/h)	170	170	Keyless Entry	●	●	●	●
Gradability	≥30%	≥30%	6-way Power Seat+ 4-way Manual Co-driver Seat	●	●	●	●
			Power Co-driver Seat & Front Seat heating & Ventilation	○	○	○	○
			1 Flat Key + 1 Intelligent Keys	●	●	●	●
			Intelligent driving Package(AEB+FCW+RCW+LDW+BSD)	●	●	●	●
			USB/Type-C Socket(Front 3+Rear 1)	●	●	●	●
			■ Entertainment Equipment				
			360 Degree Reversing Image	●	●	●	●
			180 Degree Transparent Chassis	●	●	●	●
			15.6" screen+Radio+USB +Bluetooth + TBOX	●	●	●	●
			Radio+USB +Bluetooth+Wifi+Car Network	-	-	●	●
			Speaker	8	8	8	8

SUV-C Wuling Starlight S Pure Electric SUV



SUV-C Wuling Starlight S Pure ELeetric SUV

Specification		
Model	S15 DHE PHEV	EV
L/W/H (mm)	4745/1890/1680	
Wheel Base(mm)	2800	
Tread (mm)	1610/1620	
Ground Clearance(Laden mm)	160	
Curb Weight	1680-1790	
■ Engine/Motor/Battery		
Battery Capacity(kwh)	9.5/20.5	60
Peak Power (kw/r/min)	78+150	150
Peak Torque (N.m/r/min)	130+310	310
Driving Type	FF	
CLTC Range(km)	60/130	510
Charging(AC SOC 20%-100%)	3.5h/6.5h	10h
Charging(DC fast charge SOC 30%-80%)	-/30min	20min
■ Chassis		
Steering	EPS	
Brakes	Front Disk & Rear Disk	
Suspension (front)	McPherson Stru.	
Suspension (rear)	Torsion beam Independent	
Tire	235/55 R18	
■ Capacity		
Seating Capacity	5	
Fuel Tank (L)	53	-
Acceleration 0-100km (s)	9.2	8.9
Max Speed (km/h)	170	175
Gradability	≥30%	≥20%

Feature		
	LV0	LV1
■ Charging & Battery		
Battery Heating	•	•
Battery Cooling	•	•
3.3KW AC charger	• (PHEV)	• (PHEV)
6.6KW AC charger	• (EV)	• (EV)
DC Fast charging	-(60km)/•	•
■ Exterior Equipment		
Premium Alloy Wheel	•	•
Roof Rack	•	•
LED Lens Headlamps	•	•
Rear Fog Lamp	•	•
LED DRL	•	•
■ Interior Equipment		
Simulated Leather Seat	•	•
Second Row 40/60 Seat w/ back reclined	•	•
8.8" cluster	•	•
■ Safety Equipment		
ESC+ABS+EBD+VDC+TCS+HBA+HHC+ESS+TPMS	•	•
Dual Frontal Airbags+Side Airbags+Side Curtain	•	•
Rear Sensor-4 points	•	•
Front Sensor-2 points	-(60km)/•	•
■ Comfort Equipment		
Panoramic Sunroof	-	•
Auto A/C	•	•
Keyless Entry	•	•
6-way Power Driver Seat+ 4-way Manual Co-driver Seat	•	-
6-way Power Driver Seat+ 4-way Power Co-driver Seat	-	•
Front Seat heating & Ventilation+Rear seat heating	-	•
2 Intelligent Keys	•	•
Intelligent driving Package(AEB+FCW+LDW)	-	•
Power Tailgate	-	•
■ Entertainment Equipment		
15.6" Screen W/ Reverse Image + Reverse Sensor	• (60km)	-
15.6" Screen W/ 360° +180° image	•	•
Radio+USB +Bluetooth+Wifi+Car Network	•	•
Speaker	6	9

CAR-C Wuling Starlight Electric Sedan



CAR-C Wuling Starlight Electric Sedan

Specification			Feature	LV0	LV1	
Model	F510C EV	F510C PHEV		410KM EV 70KM PHEV	510KM EV 150KM PHEV	
L/W/H (mm)	4835/1860/1515		■ Exterior Equipment			
Wheel Base(mm)	2800					
Tread (mm)	1610/1620			Steel Wheel	●	●
Fuel tank volume (L)	—	53		LED Headlamps	●	●
Ground Clearance(Laden mm)	120			LED Rear Fog Lamp	●	●
■ Engine/Motor			LED DRL	●	●	
			Hidden Door Handle	●	●	
Battery Capacity (KWh)	42/54	9.5/20.5	Panoramic Sunroof with electric sunshade	—	—	
Total power (kW)	100	75+130	■ Interior Equipment			
Driving Type	FF			Leather seat	●	●
CLTC Mileage/Equivalent full electric mileage(km)	410/510	70/150		Second Row 40/60 Seat W/Folding	●	●
Max Speed (km/h)	150	145	■ Safety Equipment			
AC Charging Power (kW)	TBD	TBD		ESC+ABS+EBD+TPMS+HHC +AUTO HOLD+ISO-FIX	●	●
Transmission type	—	DHT		Driver + Co-Driver Airbags	●	●
Displacement (ml)	—	1498	Front Side Airbags	●	●	
Comprehensive fuel consumption (L/100 km)	—	3.98 /4.09	Side Curtain Airbag	—	●	
■ Chassis			Cluster	7'	8.8'	
			Infotainment system	10.1'	15.6'	
Steering	EPS		Reverse Image	●	●360°	
Brakes	Front Disk & Rear Disk		Center Door Lock-Front	●	●	
Parking Brake	EPB		■ Comfort Equipment			
Suspension (front)	McPherson Stru.			Auto Air-conditioner	●	●
Suspension (rear)	Torsion beam			Keyless Entry	●	●
Tire	215/55 R17 or 215/55 R18		Four-way Adjustable Co-driver Seat	Manual	Electric	
■ Capacity			Six-way Electric Adjustable driver Seat	Electric	Electric	
			1 Folding Remote Control Key + 1 PEPS System Key	●	●	
Seating Capacity	5		Cruise Control	●	●	
			■ Entertainment Equipment			
				Radio+4G network +USB +Bluetooth +Wireless Mobile-link	●	●
			Speaker	4	6	

SUV-B Baojun Yep Plus





SGMW

SUV-B Baojun Yep Plus



Specification		Feature	401km LV2	401km LV2 DJI
Model	E260S Plus			
L/W/H (mm)	3996/1760/1726	■ Charging & Battery		
Wheel Base(mm)	2560	Battery Heating	●	●
Tread (mm)	1515/1520	6.6KW AC charger	●	●
Ground Clearance(Laden mm)	145	DC Fast charging	●	●
Curb Weight	1325	■ Exterior Equipment		
■ Motor & Battery		Alloy Wheel	●	●
Battery Capacity(kwh)	41.9	Automatic Headlamps	●	●
Peak Power (kw/r/min)	75	LED Lens Headlamps	●	●
Peak Torque (N.m/r/min)	180	Rear Fog Lamp	●	●
Driving Type	FF	LED DRL	●	●
CLTC Range(km)	401	■ Interior Equipment		
Charging(AC SOC 20%-100%)	7.5h	Simulated Leather Seat	●	●
Charging(DC fast charge SOC 30%-80%)	35min	Steering Wheel Height Adjust	●	●
■ Chassis		Second Row 50/50 Seat W/Folding and lay flat	●	●
Steering	EPS	■ Safety Equipment		
Brakes	Front Disk & Rear Disk	ESC	●	-
Suspension (front)	McPherson Stru.	ESC+AEB+ACC	-	●
Suspension (rear)	Torsion beam	Dual Frontal Airbags	●	●
Tire	205/60 R16	Side Airbags	●	●
■ Capacity		Auto unlock while crash	●	●
Seating Capacity	4	10.1" screen W/ Reverse Image + Reverse Sensor	●	●
Max Speed (km/h)	150	Center Door Lock	●	●
		360 Degree View	-	●
		■ Comfort Equipment		
		EPS	●	●
		Auto Air-conditioner	●	●
		Keyless Entry	●	●
		6-way Power Seat+ 4-way Manual Co-driver Seat	●	●
		Six-way Electric Adjustable driver Seat	●	●
		1 Flat Key+1 Intelligent Key	●	●
		Intelligent driving Package	-	●
		Cruise Control	●	●
		■ Entertainment Equipment		
		Radio+4G network +USB +Bluetooth +WIFI	●	●
		Speaker	6	6

CAR-B Wuling Binguo



CAR-B Wuling Binguo

Specification		Feature	LV0	LV1
Model	E260	■ Charging & Battery		
L/W/H (mm)	3950/1708/1580	30KW Motor (203km range only)	•	•
Wheel Base(mm)	2560	50KW Motor (333/410km range)	•	•
Tread (mm)	1488/1472	3.3KW charger	•	•
Ground Clearance(Laden mm)	115	DC Fast charging (333/410km range only)	•	•
■ Motor & Battery		■ Exterior Equipment		
Peak Power (kw/r/min)	30/50/50	Steel Wheel	•	•
Peak Torque (N.m/r/min)	110/150/125	Halogen Headlamps	•	—
Driving Type	FF	LED Headlamps	—	•
CLTC Mileage(km)	203/333/410	Rear Fog Lamp	•	•
Charging(AC SOC 20%-100%)	5.5h(203km)/9.5h(333km)/12h(410km)	LED DRL	—	•
Charging(DC fast charge SOC 30%-80%)	-/35min/35min	■ Interior Equipment		
■ Chassis		Fabric Seat	•	—
Steering	EPS	PVC Clothing Seat	—	•
Brakes	Front Disk & Rear Drum	Second Row 50/50 Seat W/Folding	•	•
Suspension (front)	McPherson Stru.	■ Safety Equipment		
Suspension (rear)	Torsion beam	ESC	—	○
Tire	185/60 R15	ABS+EBD+TPMS	•	•
■ Capacity		Driver Airbags	•	•
Seating Capacity	4	Co-driver Airbags	—	•
		7' cluster W/ Reverse image + Reverse Radar	•	—
		10.25'+10.25'dual-screen W/ Reverse Image + Reverse Radar	—	○
		Center Door Lock-Front	•	•
		■ Comfort Equipment		
		EPS	•	•
		Manual Air-conditioner	•	•
		Keyless Entry	—	•
		Four-way Manual Adjustable Co-driver Seat	•	—
		Six-way Electric Adjustable driver Seat	—	•
		1 Folding Remote Control Keys	•	—
		1 PEPS System Keys	—	•
		Cruise Control	—	•
		■ Entertainment Equipment		
		Radio+4G network +USB +Bluetooth +Wireless Mobile-link	•	•
		Speaker	2	4

SUV-B Wuling Binguo Plus



Green Exterior




Gray Exterior



Black Exterior



Light Green Interior



White Interior

SUV-B Wuling Binguo Plus

Specification		Feature	401km LV2	510km LV2
Model	E260 MCE			
L/W/H (mm)	4090/1720/1575	■ Charging & Battery		
Wheel Base(mm)	2610	Battery Heating	●	●
Tread (mm)	1492/1485	3.3KW charger	●	-
Ground Clearance(Laden mm)	119	6.6KW charger	-	●
Min Turning Radius(m)	5.45	DC Fast charging	●	●
■ Motor & Battery		■ Exterior Equipment		
Battery Capacity(kwh)	37.9/50.6	Alloy Wheel	●	●
Peak Power (kw/r/min)	75	Automatic Headlamps	●	●
Peak Torque (N.m/r/min)	180	LED Lens Headlamps	●	●
Driving Type	FF	Rear Fog Lamp	●	●
CLTC Range(km)	410/510	LED DRL	●	●
Charging(AC SOC 20%-100%)	11h(3.3kw)/7.5h(6.6kw)	■ Interior Equipment		
Charging(DC fast charge SOC 30%-80%)	35min/30min	Simulated Leather +Suede Seat	●	●
■ Chassis		Steering Wheel Height Adjust	●	●
Steering	EPS	Second Row 50/50 Seat W/Folding	●	●
Brakes	Front Disk & Rear Disk	■ Safety Equipment		
Suspension (front)	McPherson Stru.	ESC	●	●
Suspension (rear)	Torsion beam	ABS+EBD+TPMS+TCS+VDC+HBA+CDP/DBF+HHC	●	●
Tire	185/60 R15	Dual Frontal Airbags	●	●
■ Capacity		Side Airbags	●	●
Seating Capacity	5	Auto unlock while crash	●	●
Max Speed (km/h)	140	8.8'+10.1'dual-screen W/ Reverse Image + Reverse Radar	●	●
		Center Door Lock	●	●
		■ Comfort Equipment		
		EPS	●	●
		Manual Air-conditioner	●	●
		Keyless Entry	●	●
		Four-way Manual Adjustable Co-driver Seat	●	●
		Six-way Electric Adjustable driver Seat	●	●
		1 Flat Mechanical Key	●	●
		1 PEPS System Key	●	●
		Cruise Control	●	●
		■ Entertainment Equipment		
		Radio+4G network +USB +Bluetooth +Wireless Mobile-link	●	●
		Speaker	4	4

CAR-A Wuling Hongguang MINI EV Macaron



CAR-A Wuling Hongguang MINI EV Macaron

Specification		Feature	Macaron
L/W/H (mm)	3064/1493/1629		215KM LV2
Wheel Base(mm)	2010	30KW Motor	•
Tread (mm)	1290/1306	3.3KW charger + DC Fast charging	•
Ground Clearance(Laden mm)	125	■ Exterior Equipment	
Approach/Departure Angle(°)	25/36	Rear Fog Lamp	•
■ Weight		LED Headlamp	•
Curb Mass (kg)	685~777	CHMSL	•
Gross Mass(kg)	1000~1095	Roof Rack	•
■ Motor & Battery		■ Interior Equipment	
Peak Power (kw/r/min)	30/7500	Driver-side Sunvisor, w/ Mirror	•
Peak Torque (N.m/r/min)	110/7500	Seat Cover Material	Fabric
Driving Type	RR	ISRVm w/ Recorder Socket	•
Battery Capacity (Kw.h)	17.3	■ Safety Equipment	
CLTC Mileage(km)	215	ABS+EBD	•
Charging Condition	210~240V 50Hz	Auto door lock	•
Charging Time(AC SOC 20%-100%)	5~6.5 hours	2 nd Row ISO-FIX	•
(DC fast charge SOC 30%-80%)	35 min	Driver Seat Belt Warning	•
■ Chassis		Lower speed pedestrian alarm	•
Steering	EPS	TPMS	•
Brakes	Front Disc & Rear Drum	Auto un-lock when crash	•
Suspension (front)	McPherson Stru.	Driver air bag	•
Suspension (rear)	3-link Coil spring half isolate	Co-Driver air bag	•
Tires	145/70 R12	■ Comfort Equipment	
■ Capacity		EPS	•
Max Speed (km/h)	100	Four-way Adjustable Front Seat	•
Seating Capacity	4	Rear 50/50 Foldable Seat	•
		Power Window	•
		Remote Key w/ Central Lock	•
		Manual Air Conditioning	•
		Rear Parking Sensor	•
		Reversing Image	•
		■ Entertainment	
		Radio with USB and Bluetooth	•
		10.25" infotainment system	•
		Speakers	2

CAR-A Wuling Hongguang MINI EV GEN4



CAR-A Wuling Hongguang MINI EV GEN4

Spcification		Feature	2 Doors 4 Seats		4 Door 4 Seats	
			200+km LV1	200+km LV2	200+km LV1	200+km LV2
L/W/H (mm)	3256×1510×1578	■ Exterior Equipment Headlamp	Halogen		LED	
Wheel Base(mm)	2190	Rear Fog Lamp	●	●	●	●
■ Weight		■ Interior Equipment Fabric Seat	●	●	●	●
Gross Mass(kg)	1060	Driver Seat	4 Ways Manual Adjustment			
Curb Mass (kg)	760	Co-Driver Seat	4 Ways Manual Adjustment			
■ Motor & Battery		■ Safety Equipment Driver Seat Airbag	●	●	●	●
Motor Power (Kw)	30	Co-Driver Seat Airbag	—	●	—	●
Charging Power (Kw)	3.3	ISO FIX	●	●	●	●
Battery Capacity (Kw.h)	16 Kwh	Reverse Image	●	●	●	●
DC fast charge	●	Reverse Radar	●	●	●	●
■ Chassis		HHC+ Creep Function	●	●	●	●
Tires	155/70R13	Center Door Lock-Front+Auto Door Lock+Impact Response Auto Unlocking	●	●	●	●
Suspension (front)	McPherson Stru.	Front Disc & Rear Drum, ABS+EBD	●	—	●	—
Suspension (rear)	3-link Coil spring half isolate	Front Disc & Rear Disc, ESC+Auto Hold	—	●	—	●
■ Capacity		Mechanical Parking Break	●	—	●	—
Max Speed (km/h)	100	Electronic Parking Break	—	●	—	●
Seating Capacity	4	Indirect TPMS	●	●	●	●
		■ Comfort Equipment Driver Side Sunvisor	● W/ Mirror			
		Co-Driver Side Sunvisor	●	●	●	●
		Manual Air-conditioner	Heating & Cooling			
		Cluster	7 inch LCD screen			
		Manual OSRVM	●	●	●	●
		Co-Driver Seat One Button Folding	●	●	—	—
		Second Row 50/50 Seat	●	●	●	●
		■ Entertainment Entertainment System	Bluetooth+USB+Radio	8 inch LCD screen	Bluetooth+USB+Radio	8 inch LCD screen
		USB	3			
		Speaker	2			

MPV-B Wuling Hongguang





SGMW

MPV-B Wuling Hongguang (N510M)



Specification		
model	EV	REEV
Length/Width/Height (mm)	4515*1725*1790	4515*1725*1790
Wheel Base(mm)	2850	2850
Tread (front/rear) (mm)	1485/1500	1485/1500
■ Weight		
Curb Mass (kg)	1275	1400-1430
Gross Mass(kg)	1850	1990
■ Engine/Motor/Battery		
Battery Capacity(kwh)	32.6	8.5
Peak Power (kw/r/min)	75	75
Driving Type	FR	FR
CLTC Range(km)	300	43
Charging(AC SOC 20%-100%)	9.8 h	
Charging(DC fast charge SOC 30%-80%)	30 min	
■ Transmission		
Type	—	central reducer
■ Chassis		
Steering	EPS	EPS
Brakes	Front Disk & Rear Drum	Front Disk & Rear Drum
Tires	185/70 R14	185/70 R14
■ Capacity		
Fuel Tank Capacity	-	55L
Seating Capacity	5, 6	5, 7
■ Performance		
Max Speed (km/h)	135	135
Fuel Consumption (L)	—	3.56L/100km

Feature	LV0	LV1
■ Exterior Equipment		
Hazard Lamp	●	●
Reversing Lamp	●	●
Rear Fog Lamp	●	●
CHMSL	●	●
■ Interior Equipment		
Power Door Lock-Front\Middle\Tailgate door	●	●
Manual Middle Window	●	-
Front Power Windows	●	●
Seat Material-Fabric	●	●
■ Comfort Equipment		
Driver & Co-driver Seat Sliding & Reclining	●	●
2nd Row Foldable 2-Bench Seat	●	-
3rd Row Foldable 2-Bench Seat	●	●
Front Power Window	●	●
Front Windshield Defog & Defrost	●	●
1 foldable remote key+1 common key	●	●
AC - Manual,Front Evaporator W/ Heater	●	●
■ Safety Equipment		
EPS	●	●
ABS+EBD	●	●
TPMS	●	●
3 Point ELR Seat Belts	●	●
Driver Seatbelt Voice Warning	●	●
Driver Airbag	●	●
Child-Proof Rear Door Locks	●	●
■ Entertainment Equipment		
Radio+Bluetooth	●	-
TBOX-4G	●	●
2 Speaker	●	●
Multi-media Player - Parking video, low cost big screen,STD USB,Radio,Bluetooth	-	●

Wuling Zhiguang EV





SGMW

Wuling Zhiguang EV(CE110M)




Specification	Standard	Comfort	Feature	LV0	LV1
■ Dimensions			■ Exterior Equipment		
Length/Width/Height (mm)	3685/1530/1750	3685/1530/1765	high beam and low beam headlights	●	●
Wheel Base (mm)	2600		Hub trim cap	-	●
Tread (front/rear) (mm)	1290/1290		Roof Rack	-	●
■ Weight			HMSL	●	●
Curb Mass (kg)	892		■ Interior Equipment		
Gross Mass (kg)	1220		Double sides sliding doors	●	●
■ Motor Capacity			Seat Material-Fabric	●	●
Power Motor(Kw)	30		■ Comfort Equipment		
Max Torque (N.m/r/min)	85		Driver & Co-driver Seat Sliding & Reclining	●	●
Driving Type	RR		2nd Row Foldable 2-Bench Seat	●	●
■ Battery Capacity			Front Power Window	●	●
Lithium Battery Capacity(kwh)	17.7		Front air conditioner	●	●
CLTC Range(km)	201		remote key	●	●
Charging(AC SOC 20%-100%)	5.5h		Discharge (220V AC)	-	●
Charging(DC fast charge SOC 30%-80%)	35min		■ Safety Equipment		
■ Transmission			ABS+EBD	●	●
Type	Single Gear		Reverse Sensor	●	●
■ Chassis & Capacity			TPMS	●	●
Steering	Pinion-and-Rack, Manual Steering		Automatic driving lock	●	●
Brakes	Front Disk & Rear Drum		Driver Seatbelt Voice Warning	●	●
Suspension (front)	Mac Pherson Strut		Driver Airbag	●	●
Suspension (rear)	Integral Axle, Non-isolated		Rear ISOFIX child safety seat interface	●	●
Seating Capacity	4		■ Entertainment Equipment		
Tires	165/65 R13		Radio	●	-
■ Performance			4.2-inch combined Dashboard	●	●
Max Speed (km/h)	100	100	2 Speaker	●	●
Ground Clearance(mm)	110(Laden)		Phone APP Connection	●	●

VAN-D Wuling Yangguang EV(N350V EV)

Gray Exterior



White Exterior



VAN-D Wuling Yangguang EV(N350V EV)

Specification	Cargo		Passenger	Feature	LV1 Cargo	LV2 Cargo	LV1 Pass
■ Dimensions				■ Exterior Equipment			
Length/Width/Height (mm)	4985/1800/1975			Front LED Lens Headlamp W/Leveling Adjustable	●	●	●
Cargo Inner L/W/H (mm)	2830/1680/1365	-		Front Fog Lamp	-	●	-
Wheel Base (mm)	3050			Rear Fog Lamp	●	●	●
Tread (front/rear) (mm)	1566/1566			CHMSL	●	●	●
■ Weight				Steel Wheel	●	●	●
Curb Mass (kg)	1481-1551			270° Split Tailgate	●	●	●
Gross Mass (kg)	2860-2930			■ Interior Equipment			
■ Motor Capacity				Power Door Lock-Front & Middle Doors	●	●	●
Power Motor(Kw)	60			Manual Middle Window	-	-	●
Max Torque (N.m/r/min)	220			Middle Window Blinded	●	●	-
Driving Type	RR			Seat Material-Fabric	●	●	●
■ Battery Capacity				■ Comfort Equipment			
Lithium Battery Capacity(kwh)	31.9/41.9			Driver & Co-driver Seat Sliding & Reclining	●	●	●
CLTC Range(km)	230/300			2nd Row Foldable 2-Bench Seat	-	-	●
Charging(AC SOC 20%-100%)	6-7.5h			3rd Row Foldable 2-Bench Seat	-	-	●
Charging(DC fast charge SOC 30%-80%)	30min			Front Power Window	●	●	●
■ Transmission				Front Windshield Defog & Defrost	●	●	●
Type	Single Gear			1 foldable remote key+1 flat key	●	●	●
■ Chassis & Capacity				Electric Front Air Conditioning	●	●	●
Steering	Pinion-and-Rack, Manual Steering			■ Safety Equipment			
Brakes	Front Disk & Rear Drum			EPS	●	●	●
Suspension (front)	Mac Pherson Strut			ABS+EBD	●	●	●
Suspension (rear)	Leaf Spring, Non-isolated			Reversing Sensor	●	●	●
Seating Capacity	2/6			TPMS	-	-	●
Tires	195/70 R15			3 Point ELR Seat Belts	●	●	●
■ Performance				Driver Seatbelt Voice Warning	●	●	●
Max Speed (km/h)	90	100		Driver Airbag	-	●	●
Ground Clearance(mm)	130/128(Laden)			Child-Proof Rear Door Locks	-	-	●
				■ Entertainment Equipment			
				Radio+AUX in+Blue tooth	●	-	●
				8" screen+Radio+Blue tooth+Reversing image	-	●	-
				1 Speaker	●	●	●



SGMW



SUV

SUV-B Wuling Xingchi



Color for 1.5 Turbo



Yellow



Blue



White

Color for 1.5L NA



Yellow



Grey



White



Dark Green



SUV-B Wuling Xingchi (310S)

Specification	
■ Dimensions	
Length/Width/Height (mm)	4350/1750/1610~1630
Wheel Base(mm)	2550
Tread (front/rear) (mm)	1502/1508
■ Weight	
Curb Mass (kg)	1190~1230
Gross Mass(kg)	1620~1720
■ Engine	
Displacement (ml)	1485/1451(Turbo)
Max Power (kw/r/min)	73/5800 108/5200
Max Torque (N.m/r/min)	143/3400~4400 250/2200~3400
Driving Type	FF
■ Transmission	
Type	6MT/CVT
■ Chassis	
Steering	EPS
Brakes	Front Disc & Rear Drum/Disc
Suspension	McPherson Stru./Torsion beam
Tires	205/60 R16 215/55 R17
■ Capacity	
Fuel Tank Capacity	45L
Seating Capacity	5
■ Performance	
Max Speed (km/h)	1.5L NA: ≥165 1.5 Turbo: ≥175
Fuel Consumption (L)	6.3~7.3

Feature	
■ Exterior & Interior	<ul style="list-style-type: none"> • Lens Halogen headlamp • Lens LED+floating turning headlamp(option) • Alloy Wheel (option) • LED DRL (option) • Shark antenna(option) • Roof rack (option) • Sunroof (option) • Power OSRVM w/ heat up function • Power OSRVM w/ Power Folding (option)
■ Safety	<ul style="list-style-type: none"> • ABS+EBD • ESC(option) • Driver airbag • Dual Front Airbag+Side airbag(option) • TPMS • Reversion Radar & image (option) • Rear Side Door Child Proof • ISO-FIX & IMMO
■ Comfort	<ul style="list-style-type: none"> • A/C • Cruise Control (option) • Driver Seat 4-way manual(option) • Driver Seat 6-way manual(option) • Driver Seat 6-way power(option) • Co-driver seat 4-way manual • Rear seat • Remote Keyless entry, One Button Ignition (option)
■ Entertainment	<ul style="list-style-type: none"> • 8" Entertainment System • 10.25" Entertainment System (option) • 2/4/6 speakers

SUV-C Wuling Hongguang S3





SUV-C Wuling Hongguang S3(CN120S)



Specification	
■ Dimensions	
Length/Width/Height (mm)	4655/1735/1790
Wheel Base(mm)	2800
Tread (front/rear) (mm)	1450/1465,1475
■ Weight	
Curb Mass (kg)	1380~1554
Gross Mass(kg)	1950~2030
■ Engine	
Displacement (ml)	1485
Max Power (kw/r/min)	82/5800 108/5200
Max Torque (N.m/r/min)	146.5/3600~4000 250/2200~3400
Driving Type	FR
■ Transmission	
Type	6MT/ACT
■ Chassis	
Steering	EPS
Brakes	Front Disc & Rear Drum/Disc
Suspension	McPherson Stru./Torsion Beam
Tires	205/65 R16
■ Capacity	
Fuel Tank Capacity	49L
Seating Capacity	7
■ Performance	
Max Speed (km/h)	155/175
Fuel Consumption (L)	6.9~7.7

Feature	
■ Exterior & Interior	<ul style="list-style-type: none">• Alloy Wheel• LED DRL (option)• Roof rack• Dual reversing lamp+rear fog lamp• Sunroof (option)• Simulated leather seat (option)• Sunvisor + mirror• Power OSRVM w/ heat up function & Power Folding (option)
■ Safety	<ul style="list-style-type: none">• ABS+EBD• ESC+HHC (option)• Driver Airbag (option)• Co-driver airbag (option)• TPMS• Reversion Radar & image (option)• Rear Side Door Child Proof• ISO-FIX & IMMO
■ Comfort	<ul style="list-style-type: none">• Single evaporator A/C• Dual evaporator A/C (option)• Cruise Control (option)• Driver Seat 6-way & co-driver seat 4-way Adjustable
■ Entertainment	<ul style="list-style-type: none">• Radio + USB• 8" Entertainment System (option)• 2/4 speakers

SUV-C Wuling Asta (730S)



White



Light Brown



Green



Purple



Blue



SUV-C Wuling Asta (730S)

Specification	
■ Dimensions	
Length/Width/Height (mm)	4594/1820/1740
Wheel Base(mm)	2750
Tread (front/rear) (mm)	1554/1549
■ Weight	
Curb Mass (kg)	1415~1525
Gross Mass(kg)	1840~1910
■ Engine	
Displacement (ml)	1451(Turbo)
Max Power (kw/r/min)	108/5200
Max Torque (N.m/r/min)	250/2200~3400
Driving Type	FF
■ Transmission	
Type	6MT/CVT
■ Chassis	
Steering	EPS
Brakes	Front Disc & Rear Disc
Suspension	McPherson Stru./Torsion beam
Tires	215/60 R17 215/55 R18
■ Capacity	
Fuel Tank Capacity	52L
Seating Capacity	5
■ Performance	
Max Speed (km/h)	170
Fuel Consumption (L)	7.0/7.8

Feature	
■ Exterior & Interior	<ul style="list-style-type: none">• Lens Halogen headlamp• Lens LED headlamp (option)• Alloy Wheel• LED DRL (option)• Shark antenna• Roof rack• Sunroof/Panoramic Sunroof (option)• Power OSRVM w/ heat up function• Power OSRVM w/ Power Folding (option)
■ Safety	<ul style="list-style-type: none">• ABS+EBD+VDC+HHA+HHC+TCS+ESS+ESC• Dual Front Airbag• Front Side Airbag+side curtain (option)• TPMS• Reversion Radar & image• Front sensor & 360 degree view (option)• Rear Side Door Child Proof• ISO-FIX & IMMO
■ Comfort	<ul style="list-style-type: none">• Electrical A/C• Auto fixed-temp A/C (option)• Rear A/C outlet duct• Cruise Control (option)• Driver Seat 6-way & co-driver seat 4-way Adjustable• Remote Keyless entry, One Button Ignition (option)
■ Entertainment	<ul style="list-style-type: none">• 8” Entertainment System• 10.25” Entertainment System (option)• 4/6/9 speakers

MPV

MPV-B Wuling Hongguang S





SGMW

MPV-B Wuling Hongguang S



Specification	
Length/Width/Height (mm)	4420*1685*1755
Wheel Base(mm)	2720
Tread (front/rear) (mm)	1420/1440
■ Weight	
Curb Mass (kg)	1206-1275
Gross Mass(kg)	1825
■ Engine	
Displacement (ml)	1485
Max Power (kw/r/min)	77/5600
Max Torque (N.m/r/min)	147/3600-4400
Driving Type	FR
■ Transmission	
Type	5MT
■ Chassis	
Steering	EPS
Brakes	Front Disk and Rear Drum
Tires	185/70R14
■ Capacity	
Fuel Tank Capacity	50
Seating Capacity	5, 7, 8
■ Performance	
Max Speed (km/h)	155
Fuel Consumption (L)	6.9
Min Turning Radius (m)	5.5

Feature	
■ Exterior & Interior	<ul style="list-style-type: none"> • Alloy Wheel • CHMSL • Front fog lamp • Leather seat • Center Door Lock-Front/Middle/Tailgate
■ Safety	<ul style="list-style-type: none"> • EPS W/ ABS+EBD • All Seats with 3 Points seat belt • Parking Radar • Flat remote key (2) with anti-thief function
■ Comfort	<ul style="list-style-type: none"> • Dual Evaporator Air Conditioning • Front and Middle Power Window • Power OSRVM • Radio + clock + USB
■ Entertainment	<ul style="list-style-type: none"> • 8 inch vision screen(touchable), STD USB • Micro SD electric radio, Rear parking video • Bluetooth • SSP Link Mobile Internet • 4 Speakers

MPV-C Wuling Jiachen



MPV-C Wuling Jiachen (730M)

Specification	
■ Dimension	
Length/Width/Height (mm)	4785*1820*1760
Wheel Base(mm)	2760
Tread (front/rear) (mm)	1554/1549
■ Weight	
Curb Mass (kg)	1410-1530
Gross Mass(kg)	1960-2040
■ Engine	
Displacement (ml)	1485/1451(Turbo)
Max Power (kw/r/min)(ps/r/min)	73/5800 108/5200 (Turbo)
Max Torque (N.m/r/min)	143/3400~4400 250/2200-3400
Driving Type	FF
■ Transmission	
Type	6MT/CVT
■ Chassis	
Power Steering	EPS
Brakes	Front Disc & Rear Drum/Disc
Suspension	McPherson Stru./Torsion Beam
Tires	195/55R16 205/55R16
■ Capacity	
Fuel Tank Capacity	52L
Seating Capacity	7
■ Performance	
Max Speed (km/h)	170(Turbo)
Fuel Consumption (L)	7.2/7.8

Feature	
■ Exterior & Interior	<ul style="list-style-type: none"> • LED front lamp (option) • DRL (option) • Front Fog Lamp (option) • Roof Rack (option) • Sunroof (option) • Alloy Wheel (option) • Power OSRVM
■ Safety	<ul style="list-style-type: none"> • ABS+EBD • HBA+TCS+ESC (option) • TPMS • Dual Front Airbag • Front Side Airbag(option) • Rear Reversing Radar+ Image(option) • Child Anchor (ISO FIX) • DRL(option)
■ Comfort	<ul style="list-style-type: none"> • Front & Rear Air Conditioning (Option) • Cruise Control • Power Window W/ One Touch Down (Driver Side) • PEPS (Option) • Panoramic sunroof (Option) • 1st Row seat 6+4 way adjust • 2nd Row captain seat sliding/reclining • 3rd Row foldable/lay flat
■ Entertainment	<ul style="list-style-type: none"> • 8" or 10.25" Touch screen (option) • 2/4/9 Speakers

VAN

VAN-B Wuling Sunshine



VAN-B Wuling Sunshine

Specification	
■ Dimensions	
Length/Width/Height (mm)	3797*1510*1835
Wheel Base(mm)	2500
Tread (front/rear) (mm)	1290/1290
■ Weight	
Curb Mass (kg)	930-991
Gross Mass(kg)	1575-1600
■ Engine	
Displacement (ml)	1206
Compression Ratio	10.2:1
Max Power (kw/r/min)	56/5600
Max Torque (N.m/r/min)	112/3600~4200
Driving Type	MR
■ Transmission	
Type	5MT
■ Chassis	
Steering	Pinion-and-Rack, Mechanical Steering
Brakes	Front Disc & Rear Drum
Tires	175/70R14LT
■ Capacity	
Fuel Tank Capacity	38L
Seating Capacity	2/5/7
■ Performance	
Max Speed (km/h)	135
Fuel Consumption (L)	6.65
Min Turning Radius (m)	5.95

Feature	
■ Exterior & Interior	<ul style="list-style-type: none"> • Steel Wheel • Rear Fog Lamp • CHMSL • External manual adjustment rearview mirrors
■ Safety	<ul style="list-style-type: none"> • ABS • 3 Point Seats Belts(Driver/Co-Driver/2nd Row Seats/3rd Row Seats)
■ Comfort	<ul style="list-style-type: none"> • Manual Window • Power Outlet-12V
■ Entertainment	<ul style="list-style-type: none"> • Radio • 2 Speakers

VAN-B Wuling Rongguang



VAN-B Wuling Rongguang (N300 LWB)

Specification	
■ Dimensions	
Length/Width/Height (mm)	4490*1615*1900
Wheel Base(mm)	3050
Tread (front/rear) (mm)	1386/1408
■ Weight	
Curb Mass (kg)	1270
Gross Mass(kg)	2110
■ Engine	
Displacement (ml)	1485
Max Power (kw/r/min)(ps/r/min)	75/5400
Max Torque (N.m/r/min)	145/3600~4000
Driving Type	MR
■ Transmission	
Type	5MT
■ Chassis	
Steering	Pinion-and-Rack, Mechanical Steering
Brakes	Front Disk & Rear Drum
Tires	155/R13LT 165/70R13C
■ Capacity	
Fuel Tank Capacity	38
Seating Capacity	2/5/7
■ Performance	
Max Speed (km/h)	100
Fuel Consumption (L)	6/6.3
Min Turning Radius (m)	5.1

Feature	
■ Exterior & Interior	<ul style="list-style-type: none"> Alloy Wheel Front fog lamp Chromatically Instrument Panel Light Color Interior Trim Rear Electrical Heat Glass
	<ul style="list-style-type: none"> ABS Middle Door Child-proof Lock Anti-Theft System Double Reverse Lamp 2nd and 3rd Row Assist Grips
■ Safety	<ul style="list-style-type: none"> Remote Control Key Front Door Power Window Sliding and Reclining Front Seat, W Headrest Sliding & Double Folding Second Row Seats
	<ul style="list-style-type: none"> CD 4 Speakers
■ Comfort	
■ Entertainment	

VAN-B Wuling Hongguang V (CN110V)



VAN-B Wuling Hongguang V (CN110V)

Specification	
■ Dimensions	
Length/Width/Height (mm)	4420/1670/1835
Wheel Base(mm)	2850
Tread (front/rear) (mm)	1420/1440
■ Weight	
Curb Mass (kg)	1206
Gross Mass(kg)	1900
■ Engine	
Displacement (ml)	1485
Max Power (kw/r/min)	78/5800(1.5L)
Max Torque (N.m/r/min)	146.5/3600-4000(1.5L)
Driving Type	FR
■ Transmission	
Driving Type	5MT/6MT
■ Chassis	
Steering	EPS
Brakes	Front Disc rear drum
Tires	175/70R14LT
■ Capacity	
Fuel Tank Capacity	45L
Seating Capacity	2,5,7,8
■ Performance	
Max Speed (km/h)	≥160(1.5L)
Fuel Consumption (L)	6.6

Feature	
■ Exterior & Interior	<ul style="list-style-type: none"> • Alloy Wheel • CHMSL • Single Reverse Lamp • Front Grill-Chrome
■ Safety	<ul style="list-style-type: none"> • EPS W/ ABS+EBD • Child-Proof Rear Door Locks • 3 Point Seats Belts(Driver/Co-Driver/2nd Seats/3rd Seats)
■ Comfort	<ul style="list-style-type: none"> • Dual Evaporator Air Conditioning • Front Power Window • Manual Outside Adjustable OSRVM - Body color
■ Entertainment	<ul style="list-style-type: none"> • Radio W/ USB • 2/4 Speakers

Pick up/Truck

PU-B Wuling Sunshine Pickup (N111PU)



PU-B Wuling Sunshine Pickup

Specification	
■ Dimensions	
Length/Width/Height (mm)	4358/1503/1811
Wheel Base(mm)	2950
Tread (front/rear) (mm)	1300/1300
■ Weight	
Curb Mass (kg)	920
Gross Mass(kg)	1600
■ Engine	
Displacement (ml)	1206
Max Power (kw/r/min)	56/5600
Max Torque (N.m/r/min)	116/3600~4000
Driving Type	MR
■ Transmission	
Type	5MT
■ Chassis	
Steering	Mechanical Steering
Brakes	Front Disc & Rear Drum
Tires	155R13LT
■ Capacity	
Fuel Tank Capacity	38
Seating Capacity	2
■ Performance	
Max Speed (km/h)	120
Fuel Consumption (L)	6.4
Min Turning Radius (m)	5.9

Feature	
■ Exterior & Interior	<ul style="list-style-type: none"> • Front Bumper (Black) • Single Reversing Lamp
■ Safety	<ul style="list-style-type: none"> • OBD • Rear Fog Lamp • Front Windshield Defog & Defrost • Front 3-point Seat Belt
■ Comfort	<ul style="list-style-type: none"> • Front and Middle Manual Window • Lighter • Ashtray • Both Side Sunvisor
■ Entertainment	<ul style="list-style-type: none"> • Radio W/ AUX in • 2 Speakers

PU-B Wuling Rongguang Pickup



PU-B Wuling Rongguang Pickup

Specification		
	Single Cab	Double Cab
■ Dimensions		
Length/Width/Height (mm)	4535/1595/1870	4535/1608/1875
Wheel Base(mm)	3050	
Tread (front/rear) (mm)	1386/1408	
■ Weight		
Curb Mass (kg)	1045	1140
Gross Mass(kg)	2110	
■ Engine		
Displacement (ml)	1206/1485	
Max Power (kw/r/min)(ps/r/min)	60.5/5300; 82/5300	
Max Torque (N.m/r/min)	108/4000~4400; 146.5/3600~4600	
Driving Type	FR	
■ Transmission		
Type	5MT	
■ Chassis		
Steering	Pinion-and-Rack, Mechanical Steering	
Brakes	Front Disc & Rear Drum	
Tires	175/70R14LT	
■ Capacity		
Fuel Tank Capacity	45	
Seating Capacity	2	5
■ Performance		
Max Speed (km/h)	110	
Fuel Consumption (L)	7.0	
Min Turning Radius (m)	5.95	

Feature	
■ Exterior & Interior	<ul style="list-style-type: none"> • External adjustment rearview mirrors • Interior Dark Grey Trim • Reversing Lamp
■ Safety	<ul style="list-style-type: none"> • OBD • Rear Fog Lamp • Front Windshield Defog & Defrost
■ Comfort	<ul style="list-style-type: none"> • Lighter • Ashtray • Cup Holder • Both Side Sunvisor
■ Entertainment	<ul style="list-style-type: none"> • Radio W/ AUX IN • 2 Speakers

PU-D Wuling Rongguang New Pickup (N350PU)



PU-D Wuling Rongguang New Pickup

Specification	
■ Dimensions	
Length/Width/Height (mm)	5220/1760/1900
Wheel Base(mm)	3350
Tread (front/rear) (mm)	1519
■ Weight	
Curb Mass (kg)	1319 -1390
Gross Mass(kg)	2300
■ Engine	
Displacement (ml)	1485/1798
Max Power (kw/r/min)(ps/r/min)	79/5600(1.5L); 98/5600(LJ1.8)
Max Torque (N.m/r/min)	145/3600~4000 (1.5L); 182/3600~4400 (LJ1.8)
Driving Type	MR
■ Transmission	
Type	5MT
■ Chassis	
Steering	EPS
Brakes	Front Disc & Rear Drum
Tires	195/70R15C
■ Capacity	
Fuel Tank Capacity	50
Seating Capacity	2
■ Performance	
Max Speed (km/h)	120
Fuel Consumption (L)	7.8; 8.4

Feature	
■ Exterior & Interior	<ul style="list-style-type: none"> • Steel Wheel • CHMSL • Front Bumper - Body Color • External adjustment rearview mirrors • Both Sides Sunvisor • Center Door Lock-Front\Middle
■ Safety	<ul style="list-style-type: none"> • Rear Fog Lamp • Driver & Co-Driver Seat Belt
■ Comfort	<ul style="list-style-type: none"> • EPS W/ ABS+EBD • Lighter • Portable Ashtray • Both Side Sunvisor • Child-Proof Rear Door Locks
■ Entertainment	<ul style="list-style-type: none"> • Radio + AUX IN • 2 Speakers